



KOAMTAC

Scan and Charge Galaxy Tab Active3

Powered ▶ Rugged ▶ Designed ▶ Connected ▶ Equipped

Maximize efficiency while minimizing the costs of auto-identification systems with the Galaxy Tab Active3 SmartSled. Create the perfect Tab Active3 solution with a breadth of available accessories including batteries, charging cradles, and more.

Powered

Minimize operation interruptions caused by power outages with an array of charging products including 5-slot battery chargers and 1-Slot and 5-slot 15W fast tablet chargers. With so many options, KOAMTAC is sure to have a Cradle to suit your charging needs.

Rugged

The KDC SmartSled is IP65-rated and has a 5' drop spec. This means the device is dust tight and water resistant; it's ideal for any environment. Combine the KDC with the Galaxy Tab Active3 SmartSled Case, which is built to handle a 5' drop, to create a rugged sled scanning solution for your Tab Active3.

Designed

The KDC SmartSled securely attaches to the Galaxy Tab Active3 SmartSled. This unique modular design allows you to upgrade your smart device without worrying about replacing the entire barcode/RFID solution.

Connected

The KDC SmartSled and Galaxy Tab Active3 are connected via Bluetooth® Low Energy 5.0, KDC companions can be connected the tablet via OTG cable if preferred.

Equipped

Available with a 1D Laser, 1D CCD, or 2D Imager scan engine, the KDC SmartSled is able to read all major symbologies. The KDC SmartSled allows for several enhancements including HF and UHF readers, a 2000mAh extended battery, an ergonomic pistol grip, mPOS, and mag stripe/IC readers - expanding the many ways you can collect data with your Galaxy Tab Active3.

KTSync® software with keyboard wedging, application generation, database look up, inventory management, and KDC configuration features is included for Android and Windows devices. Complementary SDK and technical support from top engineers and the development team ensure ease of data collection in any situation.



116 Village Blvd, Suite 305, Princeton, NJ 08540 USA
T: +1-609-256-4700 F: +1-609-228-4373
info@koamtac.com www.koamtac.com

© 2022 KOAMTAC, Inc.
GTA3Accessories — 220819



Galaxy Tab Active3 1-Slot Charging Cradle

- 15W fast charging support.
- Charge with silicone protective sleeve
- Features 2 Type-A USB ports, each port can provide up to 1.5 amps of power

Charging Specs:

- Adaptor: 12V/4A AC/DC
- LED Indicator

Dimensions:

8.95" x 3.54" x 5.68"
(227.4 mm x 90.0 mm x 144.3 mm)

Galaxy Tab Active3 5-Slot Charging Cradle

- Charges up to 5 Samsung Galaxy Tab® Active3 tablets
- Charge with silicone protective sleeve
- Supports 15W fast charging
- Enhanced security features: temperature detection, waterspout, charging timer

Charging Specs:

- Adaptor: 12V/10A AC/DC
- LED Indicator

Dimensions:

10.85" x 8.85" x 5.74"
(275.6 mm x 224.7 mm x 145.7 mm)



Galaxy Tab Active3 2/4-Slot Charging Cradles

- Each slot conveniently supports the use of a spacer for Galaxy Tab Active2/3 with or without bumper
- Connect two 2-slot chargers using an adaptor for 4-slot configuration
- Comes complete with spacers for secure fit
- No 15W fast charging support

Charging Specs:

- Adaptor: 12V/4A AC/DC
- Charging: 5V/900mAh per slot
- LED Indicator

Dimensions with Spacer (2-slot):

9.11" x 5.91" x 2.59"
(231.4 mm x 150 mm x 65.9 mm)

Weight:

16.5 oz (467.8 g)

Dimensions with Spacer (4-slot):

9.11" x 11.81" x 2.59"
(231.4 mm x 300 mm x 65.9 mm)

Weight:

33.2 oz (941.2 g)



Galaxy Tab Active3 Battery

- Genuine OEM high quality battery

Specs:

- Material: Lithium-Ion Polymer Cell
- Nominal Voltage: 3.85 V \approx
- Charge Voltage: 4.4 V \approx
- Rated Capacity: 4900 mAh 18.87 Wh
- Typical Capacity: 5050 mAh 19.44 Wh

Dimensions:

0.19" x 2.91" x 4.21"
(4.79 mm x 74 mm x 106.9 mm)

Weight:

3.60 oz (102 g)



Galaxy Tab Active3 5-slot Battery Charger

- Charge and store up to 5 batteries at one time
- Ideal for swapping batteries at the end of the day
- Enhanced charging protection ensures your battery life is protected

Charging Specs:

- Adaptor: 12V/4A AC/DC
- Charging: 5V/900mAh per slot
- LED Indicator

Dimensions:

3.94" x 8.21" x 2.19"
(100 mm x 208.5 mm x 55.5 mm)

Weight:

10.9 oz (309 g) without Battery
28.89 oz (819 g) with 5 Batteries





KDC480 SmartSled Barcode Scanner + Integrated SmartSled Case

- Turn your Galaxy Tab Active3 into a high-powered data collector
- Model options: 1D Laser, 1DCCD, or 2D CMOS Imager
- Drop Spec: 5 feet (1.5m)
- Interfaces: Bluetooth Low Energy 5.0, HID/SPP
- Memory Flash ROM: 8MB User Memory
- Compatible with 1-Slot and 4-slot SmartSled Charging Cradles

Power:

- Lithium-Ion, 1100 mAh
- Charge via Type-C USB connector or Charging Cradle

Available Accessories:

- NFC/HF, short- & long-range UHF Readers
- Pistol Grip or Extended Battery
- Payment and IC Card Readers



KDC480 SmartSled Companions



HF Companion



0.5 W UHF Companion



1.0 W UHF Companion



Pistol Grip Companion



Extended Battery Companion



MSRIC & mPOS Companion

KDC8 Software Decoder

- Quickly, accurately, and reliably scan millions of 1D and 2D barcodes
- True 360° omni-directionality enables successful first-pass read.
- Pre-configured integration with the latest camera APIs for Android
- One button scanning achievable via Samsung Knox (Available on select models)
- "Plug-in" architecture lets developers customize the display and capture user scanning inputs
- One-time license authentication: Simplifies the digital licensing process.

Supported Symbolologies:

- **1D:** Code 39, Code 93, Code 128, UPC/EAN/JAN, Interleaved 2 of 5, Hong Kong 2 of 5, Matrix 2 of 5, NEC 2 of 5, Codabar, Code 11, MSI Plessey, RSS, Telepen, Straight 2 of 5, Korea Post, Trioptic
- **2D:** Data Matrix, PDF417, MicroPDF417, QR Code, Micro QR Code, Aztec Code, Codablock, MaxiCode, UCC Composite, Hanxin, DotCode, Grid Matrix
- **Postal:** PLANET, Australia Post, POSTNET, Japanese Post, USPS 4CB, UPU, KIX, Canada Post
- **OCR:** OCR-A, OCR-B, MICR E-13B, SEMI

