

Western Enterprises 875 Bassett Road Westlake, OH 44145-1142 Toll Free: 800.783.7890 Phone: 440.871.2160 Email: <u>sales@westernenterprises.com</u> Website: www.westernenterprises.com

ITEM # CV-8L, FUEL GAS LEFT HAND B-SIZE MALE TO B-SIZE FEMALE NUT TORCH STYLE CHECK VALVE

Torch Model, B-Size (9/16"-18)

Mounts easily on torch, is readily seen and can be removed for periodic testing. Flows cut up to 12" steel plate or handle heating tips (1200 SCFH at 50 PSIG). Stops reverse flow at point of origin.

Fuel Gas LH, B-Size Male to B-Size Female Nut, to 50 PSIG (345 kPa).



Specifications | Check Valve Flow Specifications Charts | Additional Information | Prop 65 | Note

Specifications	
Field	Industrial
Model	Torch
Thread Size	9/16 in
Number of Threads per Inch	18
Maximum Working Pressure	50 psig
Gas Service	CGA-023
Gas	Fuel Gases
Valve Seat Material	Buna-N™

Check Valve Flow Specifications Charts	
Check Valve Flow Specifications Charts	Flow curves presented here are based on air at 70 °F. To convert flows of other gases, multiply by the appropriate conversion factor listed on instruction sheets included with all check valves.

Additional Information	
Additional Information	 Western's reverse flow Check Valves meet or exceed CGA and OSHA requirements (Pamphlet CGA-E2) and feature: Flows for cutting up to 12" of steel Machined high quality brass with stainless steel operating spring and valve disc Low open/close pressures: 1 1-1/2 PSIG open valve and 10 oz. reverse pressure to positively close valve 100% tested Made in U.S.A.
Prop 65	
Warning	This product can expose you to lead, which is known to the State of California to cause cancer and birth defects or other reproductive harm.
Note	
Note	Check Valves Do Not Stop Flashbacks.
	UL Listed