

Eaton TPC2105-1-106

Catalog Number: TPC2105-1-106

Eaton Basic rack PDU, 1U, L5-30P input, 2.88 kW max, 110-125V, 24A, 9 ft cord, Single-phase, TAA compliant, Outlets: (16) C13

General specifications

Product Name	Catalog Number
Eaton basic rack PDU	TPC2105-1-106
UPC	Product Length/Depth
786685288970	19 in
Product Height	Product Width
1.7 in	7 in
Product Weight	Warranty
13 lb	3 year
Compliances	Certifications
Contact Manufacturer TAA Compliant	UL Listed



Product specifications

Number of Outputs C13

16

Outlet control

No

Cord length

9 ft

Phase

Single-phase

Input voltage

110-125V

Color

Black

Wattage

2.88 kW max

Form factor

1U

Mounting direction

Horizontal

Amperage Rating

24A

Input connection

L5-30P

Outlets

(16) C13

Type

PDU

Frequency rating

50-60 Hz

Operating Temperature

0° to 60°C (32° to 140°F)

Circuit breaker

(2) 2P 15A

Resources

Certification reports

[Eaton RoHS Declaration of Conformity: ePDU G3](#)

[Eaton RoHS declaration of conformity: ePDU G3](#)

Drawings

[Eaton PDU TPC2105-1-106 technical drawing](#)

Installation instructions

[Eaton ePDU G3 troubleshooting guide](#)

Specifications and datasheets

[Eaton Specification Sheet - TPC2105-1-106](#)

User guides

[Eaton ePDU G3 operations manual](#)

[Eaton ePDU G3 replace and configure eNMC module](#)

[Eaton ePDU G3 1U and 2U installation addendum](#)

[Eaton ePDU G3 installation and connectivity quick start](#)



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)