

Eaton TPC2234-A

Catalog Number: TPC2234-A

Eaton ATS rack PDU, 1U, (2) 5-15P input, 1.44 kW max, 110-125V, 12A, 9 ft. cord, Single-phase, Outlets: (8) 5-15R

General specifications

Product Name	Catalog Number
Eaton ATS rack PDU	TPC2234-A
UPC	Product Length/Depth
786685244174	20 in
Product Height	Product Width
1 in	2 in
Product Weight	Warranty
12 lb	3 year
Compliances	Certifications
Contact Manufacturer	UL Listed



Physical

Mounting direction

Horizontal

Color

Black

Form factor

1U

Operating Temperature

0° to 60°C (32° to 140°F)

Electrical input

Input connection

(2) 5-15P

Cord length

9 ft

Wattage

1.44 kW max

Amperage Rating

12A

Input voltage

110-125V

Phase

Single-phase

Frequency rating

50-60 Hz

Electrical output

Outlets

(8) 5-15R

Circuit breaker

1P 15A

Outlet control

No

Additional specifications

Series

eATS

Resources

Drawings

[Eaton eATS TPC2234-A technical drawing](#)

Specifications and datasheets

[Eaton Specification Sheet - TPC2234-A](#)

User guides

[Eaton T2235 series eATS ePDU](#)



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)