VULCAN

48" ELECTRIC RESTAURANT RANGE 8 FRENCH PLATES

Item #



Model EV48SS-8FP208 shown with adjustable legs





SPECIFICATIONS

48" wide electric restaurant range, Vulcan Model No. EV48SS-8FP208. Fully MIG welded aluminized steel frame for added durability. Stainless steel front, sides, back riser, plate shelf and 6" adjustable legs. Eight 9½" round French plates, 2 KW input per plate. Full width pull out stainless steel crumb tray located beneath the cooking top. Comes with two standard ovens. Each oven interior measures 20"w x 26½"d x 14"h. Each oven comes with one oven rack and three rack positions. Oven doors are heavy duty with an integrated door hinge / spring mechanism, requiring no adjustments. 5 KW input. Top browning heat control. Thermostat adjusts from 200°F to 500°F. Oven controls are protected from heat in an insulated side compartment. Requires 208, 240 or 480 volt, 1 or 3 phase power supply. All ranges are shipped in 3 phase and are field convertible to single phase.

Exterior Dimensions:

34"d x 48"w x 58"h on 6" adjustable legs

☐ EV48SS-8FP208 8 French Plates / 2 Standard Ovens /

208V

☐ EV48SS-8FP240 8 French Plates / 2 Standard Ovens /

240V

☐ **EV48SS-8FP480** 8 French Plates / 2 Standard Ovens /

480V

STANDARD FEATURES

- Fully MIG welded aluminized steel frame for added durability
- Stainless steel front, sides, back riser, shelf and legs
- Eight 9½" round, 2 KW French plates with infinite heat control switches. Four position heat switch on 480 volt.
- 5 KW oven with top browning control
- Two standard ovens, each oven interior measures 20"w x 26½"d x 14"h.
- Full width pull out stainless steel crumb tray
- Thermostat adjusts from 200°F to 500°F
- Cool to the touch control knobs
- One oven rack and three rack positions for each oven
- 18" x 26" sheet pans fit front to back
- Requires 208, 240 or 480 volt, 1 or 3 phase power supply. (Ranges shipped in 3 phase and are field convertible to single phase)
- One year limited parts and labor warranty

ACCESSORIES (I	Packaged &	Sold Se	eparately)
-----------------------	------------	---------	------------

☐ Fryer shield

□ Extra oven rack with two rack guides
 □ Set of four casters (two locking)
 □ 10" stainless steel stub back
 □ ESB36 salamander broiler
 □ Reinforced high shelf for ESB36 salamander broiler
 □ Towel bar
 □ Cutting board
 □ Condiment rail



48" ELECTRIC RESTAURANT RANGE 8 FRENCH PLATES

INSTALLATION INSTRUCTIONS

Clearances from Combustible Construction

Range Only
Range and ESB Salamander Broiler


 Rear
 Sides


 0"
 0"

 2"
 8"

Clearance Note: Electric Ranges are 0 inches sides and 0 inches rear from combustible and non-combustible constructions except when hot top sections are incorporated.

Ranges incorporating hot top sections are 0 inches sides and 0 inches rear to non-combustibles and 6 inches sides and 6 inches rear to combustible constructions.





The EV 48 ranges require two separate electrical hook-ups.

AVAILABLE VOLTAGES - 208 OR 240 VOLT - 1 OR 3 PHASE																								
3 PHASE LOADING					NOMINAL AMPS PER LINE WIRE																			
MODEL NUMBER	kW		kW PER PHASE					3 PHASE LT					3 PHASE RT						1 PHASE					
			LT 3 PH			RT 3 PH		208 VOLT			240 VOLT			208 VOLT			240 VOLT			LT		RT		
	LT	RT	X-Y	Y-Z	X-Z	X-Y	Y-Z	X-Z	Х	Υ	Z	Х	Υ	Z	Х	Υ	Z	Х	Υ	Z	208	240	208	240
EV48SS-8FP208	13.0	13.0	5.0	4.0	4.0	5.0	4.0	4.0	37.5	37.5	33.3				37.5	37.5	33.3				62.5		62.5	
EV48SS-8FP240	13.0	13.0	5.0	4.0	4.0	5.0	4.0	4.0				32.5	32.5	28.9				32.5	32.5	28.9		54.2		54.2