T3U Rim Series
Table Top Tilt Up Boxes

FSR
Metal Products Group

T3U-3R-BLK
(Shown with accessory plates and connectors.)

NEMA 5-20 Plug

The T3U RIM Series (Table Top Tilt Up) table boxes are designed expressly for applications requiring multiple access boxes within the same table, the FSR T3U RIM Series handles data, power, and AV connections in a low profile box.

You can match almost any decor with the T3U RIM Series cover finish selection. The T3U RIM Series easily installs in any table surface with thickness ranging from a minimum .75" to a maximum of 2.75". In the open position, the T3U RIM Series cover protrudes a mere 1.19" from the table top. Under the table, the T3U RIM Series extends only 4.25" from the table top surface.

The FSR T3U RIM Series offer a variety of connection schemes through the use of interchangeable snap in connectors and mounting plates. This allows the plates to be populated by the installer and can be changed as the need arises. FSR offers a complete line of connectors and plates to satisfy most installation requirements. (See options on the following pages).

NOTE: The T3U-3 model has a 9' NEMA 5-20 SJ cordset.

T3U-3 DRAWING

.296
.156
3.187
2.875
.188 TYP

2.116
1.594
.343
.469
.345

FSR
P T
T3U-3

TOTAL CURRENT DRAW,
ALL OUTLETS - 12A, MAX.
MAX. EACH OUTLET - 12A

HIDDEN LINES SHOW OUTLINE
OF HOLE IN UNIT FACE

T3U-3
Connector Plate View

FSR
T3U-3

TOTAL CURRENT DRAW,
ALL OUTLETS - 12A, MAX.
MAX. EACH OUTLET - 12A

FSR
4SHD
T3U-3

T3U-3-4SHD

FSR
6S
T3U-3

T3U-3-6S

FSR
P T
T3U-3

T3U-3-PT

ORDERING INFORMATION

| MODEL	FINISH	ACCEPTS (see connector plate view)
T3U-3R-BLK	BLACK	ONE T3U-3 CONNECTOR PLATE

SNAP IN CONNECTOR ORDERING DETAILS

COLOR (CONNECTOR RING)
*RCA CONNECTORS ONLY

| SS | XXX X | X* | X |

CONNECTOR TYPE

COLOR OF SNAP IN BODY

Y= YELLOW
R= RED
W= WHITE

I= IVORY
W= WHITE
B= BLACK

SNAP-IN CONNECTORS AVAILABLE FOR T3U-3

SS-RJ45*
*SS-RJ45-WHT
Punch Down
SS-RJ45-BLK = Pass Thru

SS-RJCAT6
CAT 6 to
Punch Down
(Black Only)

SS-RJ11*
*SS-RJ11-WHT
Punch Down
SS-RJ11-BLK = Pass Thru

SS-LC
Fiber LC
Pass Thru
(Black Only)

SS-HDMI
HDMI Pass Thru
(White and Black
Only)

SS-BNC
BNC
Pass Thru

SS-SCON
S-Video
Connector
Pass Thru

SS-FCON
F Connector
Pass Thru

SS-RCA-R
Red RCA
Pass Thru

SS-RCA-B
Black RCA
Pass Thru

SS-RCA-Y
Yellow RCA
Pass Thru

SS-MINI
3.5mm Stereo
to Solder

SS-SWMOM
Momentary
Switch

SS-SWMAIN
Maintained
Switch

SS-CBLNK
Blank Insert

SS-USBA
USB A Pass Thru
(Black Only)

SS-USBAHW
USB A to
Punch Down
(Black Only)

SS-USBB
USB B Pass Thru
(Black Only)

SS-USBBHW
USB B to
Punch Down
(Black Only)

SS-USB-CHRG
USB Universal 10W
Charging Port (black
only) with Power
Supply

TYPICAL INSTALLATION FOR ALL T3U TABLE BOXES

T3U-3

7.880
LIP DIM

1.19" NOMINAL
OPEN HEIGHT

R.50 NOM.
.25 MIN.
.63 MAX.

5.38

HOLE IN TABLE

8.00

5.130
LIP DIM

5.75

8.50

3/4" MIN. - 2-3/4" MAX.
TABLE THICKNESS

4.21" DEPTH
FROM TABLE
TOP SURFACE

1.19

5.44

3.5 MAX.
BENEATH
BOTTOM SURFACE
OF TABLE

TILT CLAMP TO
INSERT SHORT TABS
INTO SLIDE SLOTS

CLAMP BRACKET FACES
OPPOSITE DIRECTION ON
OTHER SIDE OF UNIT

POSITION CLAMP
TO ADJUST TO
TABLE THICKNESS

HEX SOCKET HEAD SCREW

4.39

7.60

*Tie wrap bracket(s) can be removed to provide additional connector clearance.*

NOTE: The T3U-3 model has a 9' NEMA 5-20 SJ cordset.

SIMILAR FSR PRODUCT OFFERINGS

The T3-AC2 and T3-PC1D are perfect table boxes for single users, where convenient access to network drops, ac power sources and video/audio displays are required. The small footprint provides an unobtrusive complement to any decor.

T3-AC2

T3-PC1D