

FGU-5021 50-Port Fast Ethernet Switch, 2 x Gigabit SFP/RJ45 Combo

Product Images



Short Description

- 48 Fast Ethernet ports and 2 Gigabit RJ45/SFP combo ports
 - 9K jumbo frames to increase data transfer rates
 - Supports 8K MAC address auto-learning and auto-aging
 - 19-inch metal housing
 - Quick and easy installation
- 48 Fast Ethernet ports and 2 Gigabit RJ45/SFP combo ports
 - 9K jumbo frames to increase data transfer rates
 - Supports 8K MAC address auto-learning and auto-aging
 - 19-inch metal housing
 - Quick and easy installation

Description

Fast connections and fiber distances

FGU-5021 is a 48-port Fast Ethernet Switch (10/100 Mbps) that gives you a high-performance, low-cost, easy-to-use, solution to expand your network reach. With 2 Gigabit ports and 2 SFP Port , you're able to connect to other networks for flexible and powerful deployment options.

Additional Information

Fast Ethernet multi-mode ST	1
Gigabit RJ45/SFP combo	1
802.3af/at PoE	48
Color	Black
EAN	4015867198407
Model Number	FGU-5021
Data rate	Fast and Gigabit Ethernet
PoE Supported	No
Concurrent ports	Total 50.00
Fanless	Yes
Manageable	No
Grade	Commercial
Approval and Compliance	CE/FCC
Package Contents	FGU-5021, Power Cord, 19" Rack Mount Kit, Quick Installation Guide
Switching capacity	13.6Gbps
Dimensions (W x D x H)	44 x 230 x 440 mm
Product weight (kg)	2,7
Packet forwarding rate	148800pps
Indicators	Power, LINK/ACT,1000M
Jumbo frame (KB)	9
MAC address table	8K
Mount	19" rack mount
Power consumption	28.6W
Power input	100-240V/AC,50-60Hz
RAM size	16Mbit

Standards

IEEE802.3(10BASE-T) IEEE802.3u(100BASE-T)
IEEE802.3az Energy Efficient
EthernetIEEE802.3(10BASE-T)
IEEE802.3u(100BASE-T) IEEE802.3az Energy
Efficient EthernetIEEE802.3(10BASE-T)
IEEE802.3u(100BASE-T) IEEE802.3az Energy
Efficient EthernetIEEE802.3(10BASE-T)
IEEE802.3u(100BASE-T) IEEE802.3az Energy
Efficient EthernetIEEE802.3(10BASE-T)
IEEE802.3u(100BASE-T) IEEE802.3az Energy
Efficient EthernetIEEE802.3(10BASE-T)
IEEE802.3u(100BASE-T) IEEE802.3az Energy
Efficient Ethernet