

NVR-0764 GEMINI 64-Ch Network Video Recorder, RAID

Product Images



Short Description

- Supports PTZ/preset point/preset sequence
- Supports video resolutions up to 12 megapixels
- Video compression: H.265, H.264, MPEG
- Supports 4k2k HDMI local display

Description

The LevelOne NVR-0764 NVR enables live view, recording and playback for up to 64 IP network cameras at the same time, featuring up to 12-megapixel resolution and

H.264/H.265 video compression. Operation is easy and intuitive via the web browser interface (IE), enabling remote monitoring and functionality. 8 HDD bays complete the package, with a disk capacity of up to 10TB making the LevelOne NVR-0764 a powerful, smart and cost-effective solution for managing your security network. Supports dual gigabit LAN ports allowing for concurrent dual-connection, and providing a network backup in case of unscheduled network downtime. Central Management System (CMS) software is included for free, with no license fees. The CMS is capable of managing up to 256 NVRs, making it suitable for large scale surveillance applications.

Additional Information

Color	Black
EAN	4015867206416
Model Number	NVR-0764
Features	Support RAID 0,1,5,10 Pre-Recording / Post-Recording Search Date / Time / Event Export video by USB / Web browser / CMS Liveview & Playback on Smart phone iOS, Android
Max. channels	64
Max. HDD Bay	8
RAID supported	Yes
Embedded system	Lunix
Approval and Compliance	CE,FCC,UL
Operating humidity	10% RH ~ 90% RH
Operating temperature	-10°C ~ 55°C
Supported browsers	IE 9.0 above
Package Contents	NVR-0764 Ressource CD (Bedienungsanleitung, Hilfsprogramm, 64-Kanal Verwaltungssoftware) Stromkabel
Dimensions (W x D x H)	470 x 90 x 445 mm
Product weight (kg)	10
Bandwidth	Incoming bandwidth: 320 Mbps,or 200 Mbps (when RAID is enabled) Outgoing bandwidth:256 Mbps, or 200 Mbps (when RAID is enabled)
Hard drive capacity	Max. support up to 10TB for each HDD
Indicators	Power
Resolution	Recording resolution: 12 MP/8 MP/6 MP/5 MP/4 MP/3 MP/1080p/UXGA/720p/VGA/4CIF/DCIF/2CIF/CIF/QCIF, Live view / Playback Resolution: 12 MP/8 MP/6 MP/5 MP/4 MP/3 MP/1080p/UXGA/720p/VGA/4CIF/DCIF/2CIF/CIF/QCIF Synchronous playback:16-ch Decoding format : H.265/H.264/MPEG4 Capability: 4-ch @4K, or 16-ch @ 1080p
Standards	TCP,UDP,IPv4,IPv6,Http,Https,SMTP,NTP,SNTP,RTSP, SNMP, FTP, DHCP, DDNS, PPPoE, SSL, RTP
Storage capacity	8 SATA interfaces for 8 HDDs (HDD Not included)

Number of video channel

64

Video format

H.265/H.264/H.264+/MPEG4