

SFP-2310, 155Mbps Single-mode Industrial SFP Transceiver, 100km, 1550nm, -40°C to 85°C

Product Images



Short Description

- -40°C to 85°C operating temperature range
- IEEE 802.3z Gigabit Ethernet compliant
- Provides duplex LC connector

- RoHS compliant and Lead Free
- Low EMI with metal housing
- 3.3V Single power supply
- Hot-swappable

Description

LevelOne Infinity Small Form Factor Pluggable (SFP) transceiver is compatible with the Small Form Factor Pluggable Multi-Sourcing Agreement (MSA). It complies with Gigabit Ethernet as specified in IEEE Std 802.3, as well as the RoHS compliant and lead-free per Directive 2002/95/EC. This Hot-swappable SFP transceiver offers the latest industry standard in full-duplex Ethernet connectivity and withstand under wide range temperature operation.

Additional Information

Fast Ethernet single-mode LC	1
Color	Silver
EAN	4015867181201
Model Number	SFP-2310
Fiber Optical Mode	Single-Mode
Transceiver Type	SFP
Grade	Industrial
Package Contents	SFP-2310
Dimensions (W x D x H)	14 x 56.6 x 8.4 mm
Product weight (kg)	0,12
Wavelength (nm)	1550

