

Gilpin

## Two-Piece Round Front Toilet



### Product Features

- 1.0 GPF
- Pressure Assist Equipped with EcoFlush Pressure Assist System
- Vitreous China
- 14-1/8" Round Front Bowl
- Rough-in: 12"
- Flush Valve: 3"
- Trapway: 2" Fully Glazed
- Water Spot: 13-1/2" x 11"
- Side Mounted Chrome Trip Lever
- Sanitary bar on bowl for easy cleaning
- Quick connect, three-bolt tank-to-bowl installation

### Optional Accessories/Available Parts

- PF1612PACVLH** Flush Valve Cartridge for Left Hand tank
- PF1612PACVRH** Flush Valve Cartridge for Right Hand tank
- PF1612PATL** Handle
- PF9412TGPK** Tank-to-bowl gasket & bolts

### Codes and Certifications



- IAPMO/cUPC
- EPA WaterSense Certified
- ASME A112.19.2 / CAS B45.1
- MaP Rated 1000g



Available Colors: White (WH)

#### Tank

- PF1612PAWHA** 12" Rough-in Tank
- PF1612PARWHA** 12" Rough-in Right Hand Tank
- PF1612PALWHA** 12" Rough-in Tank with Locking Lid

#### Bowl


- PF1600PAWH** Round Front Bowl - 14-1/8"

This product comes complete with installation, operating, care and maintenance instructions. All PROFLO fixtures carry a lifetime limited warranty on the vitreous china and a 5-year limited warranty on the fittings. Visit [ferguson.com](http://ferguson.com) for detailed warranty information.



Gilpin

# Two-Piece Round Front Toilet



Note: All dimensions and specifications are nominal and may vary: Dimensions of 8" and greater have a tolerance of +3%. Dimensions less than 8" have a tolerance of +5%.

Gilpin

## Two-Piece Elongated Toilet



### Product Features

- 1.0 GPF
- Pressure Assist Equipped with EcoFlush Pressure Assist System
- Vitreous China
- 14-1/2" Elongated Bowl
- Rough-in: 12"
- Flush Valve: 3"
- Trapway: 2" Fully Glazed
- Water Spot: 13-1/2" x 11"
- Side Mounted Chrome Trip Lever
- Sanitary bar on bowl for easy cleaning
- Quick connect, three-bolt tank-to-bowl installation

### Optional Accessories/Available Parts

- PF1612PACVLH** Flush Valve Cartridge for Left Hand tank
- PF1612PACVRH** Flush Valve Cartridge for Right Hand tank
- PF1612PATL** Handle
- PF9412TGPK** Tank-to-bowl gasket & bolts

### Codes and Certifications



- IAPMO/cUPC
- EPA WaterSense Certified
- ASME A112.19.2 / CAS B45.1
- MaP Rated 1000g



Available Colors: White (WH)

#### Tank

- PF1612PAWHA** 12" Rough-in Tank
- PF1612PARWHA** 12" Rough-in Right Hand Tank
- PF1612PALWHA** 12" Rough-in Tank with Locking Lid

#### Bowl


- PF1601PAWH** Elongated Bowl - 14-1/2"

This product comes complete with installation, operating, care and maintenance instructions. All PROFLO fixtures carry a lifetime limited warranty on the vitreous china and a 5-year limited warranty on the fittings. Visit [ferguson.com](http://ferguson.com) for detailed warranty information.



Gilpin

# Two-Piece Elongated Toilet



Note: All dimensions and specifications are nominal and may vary: Dimensions of 8" and greater have a tolerance of +3%. Dimensions less than 8" have a tolerance of +5%.

Gilpin

## Two-Piece Elongated Toilet



### Product Features

- 1.0 GPF
- Pressure Assist Equipped with EcoFlush Pressure Assist System
- Vitreous China
- 17" Elongated ADA Bowl
- Rough-in: 12"
- Flush Valve: 3"
- Trapway: 2" Fully Glazed
- Water Spot: 13-1/2" x 11"
- Side Mounted Chrome Trip Lever
- Sanitary bar on bowl for easy cleaning
- Quick connect, three-bolt tank-to-bowl installation

### Optional Accessories/Available Parts

- PF1612PACVLH** Flush Valve Cartridge for Left Hand tank
- PF1612PACVRH** Flush Valve Cartridge for Right Hand tank
- PF1612PATL** Handle
- PF9412TGPK** Tank-to-bowl gasket & bolts



### Codes and Certifications



- IAPMO/cUPC
- EPA WaterSense Certified
- ASME A112.19.2 / CAS B45.1
- MaP Rated 1000g
- Meets ADA guidelines

Available Colors: White (WH)

#### Tank

- PF1612PAWHA** 12" Rough-in Tank
- PF1612PARWHA** 12" Rough-in Right Hand Tank
- PF1612PALWHA** 12" Rough-in Tank With Locking Lid

#### Bowl


- PF1603PAWH** Elongated ADA Bowl - 17"

This product comes complete with installation, operating, care and maintenance instructions. All PROFLO fixtures carry a lifetime limited warranty on the vitreous china and a 5-year limited warranty on the fittings. Visit [ferguson.com](http://ferguson.com) for detailed warranty information.



Gilpin

# Two-Piece Elongated Toilet



Note: All dimensions and specifications are nominal and may vary: Dimensions of 8" and greater have a tolerance of +3%. Dimensions less than 8" have a tolerance of +5%.

Gilpin

## Two-Piece Round Front Rear Outlet Toilet



### Product Features

- 1.0 GPF
- Pressure Assist Equipped with EcoFlush Pressure Assist System
- Vitreous China
- 15-1/8" Floor Mount, Rear Outlet Round Front Bowl
- Rough-in: 4-1/2"
- Flush Valve: 3"
- Trapway: 2" Fully Glazed
- Water Spot: 12-1/4" x 9-5/8"
- Side Mounted Chrome Trip Lever
- Sanitary bar on bowl for easy cleaning
- Quick connect, three-bolt tank-to-bowl installation

### Optional Accessories/Available Parts

- PF1612PACVLH** Flush Valve Cartridge for Left Hand tank
- PF1612PACVRH** Flush Valve Cartridge for Right Hand tank
- PF1612PATL** Handle
- PF9412TGPK** Tank-to-bowl gasket & bolts

### Codes and Certifications



- IAPMO/cUPC
- EPA WaterSense Certified
- ASME A112.19.2 / CAS B45.1
- MaP Rated 1000g



Available Colors: White (WH)

#### Tank

- PF1612PAWHA** 12" Rough-in Tank
- PF1612PARWHA** 12" Rough-in Right Hand Tank
- PF1612PALWHA** 12" Rough-in Tank with Locking Lid

#### Bowl


- PF1604PAWH** Round Front, Floor Mounted, Back-outlet Bowl - 15-1/8"

This product comes complete with installation, operating, care and maintenance instructions. All PROFLO fixtures carry a lifetime limited warranty on the vitreous china and a 5-year limited warranty on the fittings. Visit [ferguson.com](http://ferguson.com) for detailed warranty information.



Gilpin

# Two-Piece Round Front Rear Outlet Toilet



Note: All dimensions and specifications are nominal and may vary: Dimensions of 8" and greater have a tolerance of +3%. Dimensions less than 8" have a tolerance of +5%.



Gilpin

## Two-Piece Elongated Rear Outlet Toilet



### Product Features

- 1.0 GPF
- Pressure Assist Equipped with EcoFlush Pressure Assist System
- Vitreous China
- 15" Floor Mount, Rear Outlet Elongated Bowl
- Rough-in: 4-1/2"
- Flush Valve: 3"
- Trapway: 2" Fully Glazed
- Water Spot: 12-1/4" x 9-5/8"
- Side Mounted Chrome Trip Lever
- Sanitary bar on bowl for easy cleaning
- Quick connect, three-bolt tank-to-bowl installation

### Optional Accessories/Available Parts

- PF1612PACVLH Flush Valve Cartridge
- PF1612PACVRH Flush Valve Cartridge
- PF1612PATL Handle
- PF9412TGPK Tank-to-bowl gasket & bolts

### Codes and Certifications



- IAPMO/cUPC
- EPA WaterSense Certified
- ASME A112.19.2 / CAS B45.1
- MaP Rated 1000g



Available Colors: White (WH)

#### Tank

- PF1612PAWHA 12" Rough-in Tank
- PF1612PARWHA 12" Rough-in Right Hand Tank
- PF1612PALWHA 12" Rough-in Tank with Locking Lid

#### Bowl


- PF1605PAWH Elongated, Floor Mounted, Back-outlet Bowl - 15"

This product comes complete with installation, operating, care and maintenance instructions. All PROFLO fixtures carry a lifetime limited warranty on the vitreous china and a 5-year limited warranty on the fittings. Visit [ferguson.com](http://ferguson.com) for detailed warranty information.



Gilpin

# Two-Piece Elongated Rear Outlet Toilet



Note: All dimensions and specifications are nominal and may vary: Dimensions of 8" and greater have a tolerance of +3%. Dimensions less than 8" have a tolerance of +5%.

Gilpin

## Two-Piece Elongated Rear Outlet Toilet



### Product Features

- 1.0 GPF
- Pressure Assist Equipped with EcoFlush Pressure Assist System
- Vitreous China
- 17-1/4" Floor Mount, Rear Outlet Elongated ADA Bowl
- Rough-in: 4-1/2"
- Flush Valve: 3"
- Trapway: 2" Fully Glazed
- Water Spot: 12-1/4" x 9-5/8"
- Side Mounted Chrome Trip Lever
- Sanitary bar on bowl for easy cleaning
- Quick connect, three-bolt tank-to-bowl installation

### Optional Accessories/Available Parts

- PF1612PACVLH** Flush Valve Cartridge for Left Hand tank
- PF1612PACVRH** Flush Valve Cartridge for Right Hand tank
- PF1612PATL** Handle
- PF9412TGPK** Tank-to-bowl gasket & bolts

### Codes and Certifications



- IAPMO/cUPC
- EPA WaterSense Certified
- ASME A112.19.2 / CAS B45.1
- MaP Rated 1000g
- Meets ADA guidelines



Available Colors: White (WH)

#### Tank

- PF1612PAWHA** 12" Rough-in Tank
- PF1612PARWHA** 12" Rough-in Right Hand Tank
- PF1612PALWHA** 12" Rough-in Tank with Locking Lid

#### Bowl


- PF1606PAWH** Elongated ADA, Floor Mounted, Back-outlet Bowl - 17-1/4"

This product comes complete with installation, operating, care and maintenance instructions. All PROFLO fixtures carry a lifetime limited warranty on the vitreous china and a 5-year limited warranty on the fittings. Visit [ferguson.com](http://ferguson.com) for detailed warranty information.



Gilpin

# Two-Piece Elongated Rear Outlet Toilet



Note: All dimensions and specifications are nominal and may vary: Dimensions of 8" and greater have a tolerance of +3%. Dimensions less than 8" have a tolerance of +5%.