replink

Argus PT (5/2.4GHz)

5MP battery/solar powered IP camera with pan & tilt, dualband Wi-Fi, high-quality color night vision, AI detection and active deterrence.

- 2K 4MP Super HD
- \cdot Person/Vehicle Detection
- Battery/Solar Powered

Specifications

Video & Audio	
Image Sensor	1/2.7"CMOS sensor
Resolution	2880 x 1616 (5 megapixels) @15fps
Video Compression	H.265
Field of View	Horizontal: 90° Vertical: 47° Diagonal: 110°
Infrared Night Vision	Up to 10 meters (33ft); LED: 2pcs/1.2w/ 850nm (Auto-switching with IR-cut filter)
Color Night Vision	With spotlights: 2pcs/2.4w/6500k
Frame Rate	Main stream: 10fps - 15fps (default: 15fps) Sub stream: 10fps - 15fps (default: 15fps)
Code Rate	Main stream: 1024Kbps - 4096Kbps (default: 3072Kbps) Sub stream: 64Kbps - 672Kbps (default: 672Kbps)
Audio	Two-way audio

Power		
Battery	21.6Wh rechargeable battery (Battery life varies based on settings, usage & temperature.)	
Solar	Reolink Solar Panel (3W)	
Interface		
Power Port	USB Type-C port	
SD Card Slot	Supports Max. 128GB microSD card	
Reset Button	YES	
Audio In/Out	Built-in microphone and speaker	
Pan & Tilt		
PT Angle(Max.)	Pan: 355°, Tilt: 140°	
Preset Points	64	
Wi-Fi		
Wireless Standard	IEEE 802.11 a/b/g/n	
Operating Frequency	2.4GHz/5GHz	
Wireless Security	WPA/WPA2	
Software		
OS Supported	PC: Windows, Mac OS; Smartphone: iOS, Android	
Protocols & Standards	SSL, TCP/IP, UDP, UPNP, SMTP, NTP, P2P	
User Access	Max. 12 simultaneous streams (2 main & 10 sub streams)	
Other Feature(s)		
Smart Alarm	PIR detection; person detection; vehicle detection; pet detection	
PIR Detecting Distance	Adjustable up to 10m (33ft)	
PIR Detecting Angle	120° horizontal	
Recording Modes	Triggered recording	

Time Lapse	YES	
Smart Home Compatibility	Google Assistant; Alxea	
Cloud Storage	Supports Reolink Cloud (available in selected countries)	
Working Environment		
Operating Temperature	-10°C~+55°C (14°F~131°F)	
Operating Humidity	20% ~ 85%	
Weatherproof	IP64	
Mechanical		
Dimensions	Ф 98 x 122mm	
Weight (Battery Included)	477g	
Warranty		
Limited Warranty	2-year limited warranty. For support, visit https://support.reolink.com/hc/en- us/.	



Gallery & Specs

reølink

5 6

7

- 1. Speaker
- 2. Lens
- 3. Spotlight
- 4. IR LED
- 5. Status LED
- 6. PIR sensor
- 7. Built-in Mic



- 1. Antenna
- 2. USB-C Port
- 3. Power Switch
- 4. microSD Card Slot
- 5. Reset Hole

www.reolink.com