

Reolink TrackMix WiFi

4K Dual-Lens Auto Tracking PTZ WiFi Security Camera with Smart Detection, Night Vision

- Dual Lens, View & Tracking
- 4K 8MP Ultra HD
- 2.4/5GHz Dual-Band WiFi

Specifications

Video & Audio	
Image Sensor	1/3"+1/2.8"CMOS Sensor
Video Resolution	Up to 3840 x 2160 (8.0 megapixels) at 25 frames/sec
Lens	f=2.8mm@F=1.6 , f=8mm@F=1.6
Video Compression	H.264,H.265
Field of View	<ul style="list-style-type: none"> • Horizontal: 104°-38° • Vertical: 60°-21°
Zoom Mode	6X hybrid zoom
Day & Night	IR-cut filter with auto-switching
Infrared Night Vision	Up to 30 meters (100ft) (LED: 2pcs/850nm)
Color Night Vision	Spotlights: 2pcs/6500K/450 lumens
Audio	Two-way audio
Power	
DC Power	DC 12.0V _{±0.3} 2A, <12W

Interface	
Power	DC power port
System	Reset button
Ethernet	One 10M/100Mbps RJ45
Storage	Micro SD card slot (Max. 256GB)
Audio	Built-in microphone and speaker
Pan & Tilt	
Pan & Tilt Range	Pan: 355°, Tilt: 0°~90°
Pan Speed	2.5°-90°/s (Speed can be set)
Tilt Speed	1.5°-60°/s (Speed can be set)
Preset Points	32
Auto Tracking	Support
Wi-Fi	
Wireless Standard	IEEE 802.11a/b/g/n
Operating Frequency	2.4GHz/5GHz
Wireless Security	WPA-PSK/WPA2-PSK
Software Features	
Frame Rate	<ul style="list-style-type: none"> • Mainstream: 2fps - 25fps • Substream: 4fps - 20fps
Code Rate	<ul style="list-style-type: none"> • Mainstream: 4096Kbps -8192Kbps • Substream: 128Kbps -1228Kbps
Browsers Supported	Edge, Chrome, Firefox, Safari
OS Supported	PC: Windows, Mac OS; Smartphone: iOS, Android
Smart Alarm	Motion detection; person detection; vehicle detection; pet detection
Record Modes	Motion/scheduled recording (default: motion recording)
Tracking Method	Digital Tracking; Pan/Tilt Tracking First; Digital Tracking First

Protocols & Standards	HTTP, HTTPS, SSL, TCP/IP, UDP, UPNP, RTSP,RTMP, SMTP, NTP, DHCP, DNS, DDNS, P2P
Maximal User Access	Supports up to 12 simultaneous video streams (10 substreams & 2 mainstreams); 20 users (1 admin account & 19 user accounts)
Work with	Google Assistant
Working Environment	
Temperature	Operating temperature: -10°C~+55°C (14°F~131°F)
Humidity	Operating humidity: 10% ~ 90%
Waterproof	IP65
Size & Weight	
Dimensions	228*147*129mm
Weight	1.211kg
Warranty	
Limited Warranty	2-year limited warranty. For support, visit https://support.reolink.com/hc/en-us/ .

Gallery & Specs



1. Infrared LED
2. Lens
3. Mic
4. Daylight Sensor
5. Spotlight



1. microSD Card Slot
2. Reset Button

www.reolink.com